

Team

=>
Uploading ho ho.str

L1 STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1 STR
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 10:55:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 12 TO ITERATE

100.0% PROCESSED 12 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 33 TO 447
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 10:55:59 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 206 TO ITERATE

100.0% PROCESSED 206 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01


L3 1 SEA SSS FUL L1

=> d

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2002 ACS
RN 403669-25-0 REGISTRY
CN Glycinamide, N-[[3-[3-(aminoiminomethyl)phenyl]propoxy]carbonyl]-L-.alpha.-
glutamyl-N-[(1S)-4-[(aminoiminomethyl)amino]-1-formylbutyl]- (9CI) (CA
INDEX NAME)
FS STEREOSEARCH
MF C24 H36 N8 O7
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.

PAGE 1-A



NH₂

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	141.86	142.07

FILE 'CAPLUS' ENTERED AT 10:56:15 ON 25 JUL 2002
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Jul 2002 VOL 137 ISS 4
 FILE LAST UPDATED: 24 Jul 2002 (20020724/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.


=> s l3 full
 L4 1 L3

=> d ibib abs hitstr

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 2002:185072 CAPLUS
 DOCUMENT NUMBER: 136:232549
 TITLE: Preparation of peptides as inhibitors of serine
 protease activity of matrilysin or MTSP1
 INVENTOR(S): Duncan, David F.; Madison, Edwin L.; Semple, Joseph
 Edward; Coombs, Gary Samuel; Reiner, John Eugene; Ong,
 Edgar O.; Araldi, Gian Luca
 PATENT ASSIGNEE(S): Corvas International, Inc., USA
 SOURCE: PCT Int. Appl., 82 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent

LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 3
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002020475	A2	20020314	WO 2001-US28137	20010907
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRIORITY APPLN. INFO.:			US 2000-657986	A 20000908
OTHER SOURCE(S):			MARPAT 136:232549	
GI				



AB The invention provides compds. I [X = CO, CO2, CONH, SO2, SO2NH or a direct link; R1 = (un)substituted alkyl, cycloalkyl, aryl, heterocycloalkyl, H when X is CONH, SO2, SO2NH or a direct link, etc.; R2 = H, alkyl; n = 0-3; R3 = H, Me; R4a, R4b = H, alkyl; q = 0-2; when q = 0, R3 and R4a form prolyl or prolyl derivs., pipecolyl, or azetidine-2-carbonyl groups which are in the S-configuration; E is a 5- or 6-membered arom. ring having 0-2 ring heteroatoms; T is H, OH, CH2OH, alkyl, cyano, an amidino, guanidino, amino or carbamoyl deriv.] which inhibit serine protease activity of matriptase or MTSP1. Also provided are pharmaceutical compns. for treating conditions ameliorated by inhibition of matriptase or MTSP1. Thus, (R)-5-[3-(diaminomethyl)phenyl]-4-[(1-formyl-(S)-4-guanidinobutylcarbamoylmethyl)carbamoyl]-4-(methoxycarbonylamino)pentanoic acid tert-Bu ester was prepd. and showed IC50 < 100 nM for inhibition of matriptase activity.

IT 403669-25-0P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(prepn. of peptides as inhibitors of serine protease activity of matriptase or MTSP1)

RN 403669-25-0 CAPLUS

CN Glycinamide, N-[[3-[3-(aminoiminomethyl)phenyl]propoxy]carbonyl]-L-.alpha.-glutamyl-N-[(1S)-4-[(aminoiminomethyl)amino]-1-formylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-A



PAGE 1-B



C:\STNEXP4\QUERIES\ho ho.str



chain nodes :

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
31 32 33 34 35 36

ring nodes :

1 2 3 4 5 6

chain bonds :

3-7 5-10 7-8 7-9 10-11 11-12 12-13 13-14 14-15 14-16 16-17 17-18 17-24 18-19
19-20 20-21 20-22 22-23 24-25 24-26 26-27 26-28 28-29 29-30 29-31 30-32 30-36
32-33 32-35 33-34

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

7-8 7-9 12-13 13-14 14-15 14-16 16-17 24-25 24-26 26-28 29-30 29-31 30-32
33-34

exact bonds :

3-7 5-10 10-11 11-12 17-18 17-24 18-19 19-20 22-23 26-27 28-29 30-36 32-33
32-35

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 20-21 20-22

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS
29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS 35:CLASS 36:CLASS

FILE 'BEILSTEIN' ENTERED AT 10:57:59 ON 25 JUL 2002
COPYRIGHT (c) 2002 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
licensed to Beilstein Chemiedaten & Software GmbH and MDL Information Systems GmbH

FILE RELOADED ON APRIL 8, 2002

FILE COVERS 1779 TO 2001.

*** FILE CONTAINS 8,128,462 SUBSTANCES ***

>>> For the revised summary sheet please see:
<http://info.cas.org/ONLINE/DBSS/beilsteinss.html> <<<

>>> PLEASE NOTE: Reaction and substance documents are stored in
different file segments. Use separate queries to search for
reaction and substance data. When searching for bibliographic
information you have the option to chose the file segment.
(Use "/XXX.SUB" to search for a bibliographic term in
substance documents. To restrict the search to reaction
documents use "/XXX.RX".)
For additional information see HELP RXS. <<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

* PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
* SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
* ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE *
* ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *
* FOR PRICE INFORMATION SEE HELP COST *

=> s l1 full

FULL SEARCH INITIATED 10:58:09 FILE 'BEILSTEIN'
FULL SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.03

L5 0 SEA SSS FUL L1

=>